

Color, Simplicity, Value.

AkzoNobel

Regulated Market Portfolio WANDA WANDA LOW VOC CLEAR WANDA WANDA LOW VOC PRIMER WATERBASE 75 Total SKU #'s

- 2 Surface Cleaners*
- 2 Pre-treatments
- 2 Primer Surfacer/Sealer
- 63 Wanda Waterbase Intermix toners
- 2 Clearcoats
- · 4 Reducers, hardeners & ancillaries

AkzoNobel







AutoPrep UltraPrep Surface Cleaner is a water based surface cleaner with low VOC content. AutoPrep Ultra Prep Surface Cleaner is used to ensure removal of all kinds of contamination from the substrate prior to paint application.

- Compliant for use in regulated markets
- May be used on plastic parts.

Features Advantages Benefits

- Cleans & Degreases
- Removes contaminates
- · Trouble-free refinishing



Ready To Use

AutoPrep Ultra Prep Surface Cleaner - Part#509927





Cleaning Technique

After washing the car, or the surface of the body panel under treatment, wet a clean cloth with the UltraPrep Surface Cleaner and clean the surface under treatment.

- · Concentrate on 12 by 12 inch areas.
- · Immediately wipe the surface thoroughly dry
- Use a clean, dry towel, turning the towel often.
- Use 2 cloths, as 1 cloth will shift dirt, etc. rather than remove.
- Repeat this process until the entire panel is clean..






WandaClean Degreaser



WandaClean Degreaser is a general purpose cleaner designed to remove dirt, oils, grease, dust and other contaminants that prevent proper topcoat adhesion and optimal final appearance. It is suitable for cleaning and degreasing bare metal, existing finishes, and primer surfacers. It is not recommended for use on plastic or fiberglass body parts. For these applications, use AkzoNobel Ultra Prep Surface Cleaner (#509927).

- Not compliant for use in regulated markets
- In Canada WandaClean Degreaser is approved only for cleaning automotive refinishing surfaces with a hand held spray bottle prior to sanding.

Features Advantages Benefits



Cleans & Degreases • Removes contaminates

· Trouble-free refinishing



Ready To UseWandaClean Degreaser - Part#520192







Cleaning Technique

After washing the car, or the surface of the body panel under treatment, wet a clean cloth with WandaClean Degreaser and clean / degrease the surface under treatment.

- Concentrate on 12 by 12 inch areas.
- · Immediately wipe the surface thoroughly dry
- Use a clean, dry towel, turning the towel often.
- Use 2 cloths, as 1 cloth will shift dirt, etc. rather than remove.
- Repeat this process until the entire panel is clean..



65+ 75+ 85+



Autoprep™ Pre-Treatment Wipes



Chromium Free conversion coating packaged in Ready to Use / Pre-saturated Wipes. AutoPrep Pre-Treatment Wipes produce a conversion coating forming chemical bonds with metal surfaces enhancing adhesion and corrosion resistance of applied paints and paint systems.

- Forms chemical bonds with metal surfaces
- Enhances adhesion and corrosion resistance
- · Available in 25 Wipe containers

Features	Advantages	Benefits
No mixingBonds to metal	Ready-to-usePromotes Adhesion	Process ImprovementIncreased durability



Ready To Use

Autoprep Pretreatment Wipes - Part#1014570





Double wipe application 1 X 1

- Vertical and then immediately with a horizontal stroke motion.
- wet layer should be on the surface for 1 minute to form a conversion coating with the bare metal.



Allow to dry completely at ambient air temperature

• Accelerate the drying with low velocity, clean warm air.



Recoat with all Wanda primers.







Primer For Plastics

Wanda Plastic Primer is a one component, fast drying, transparent adhesion primer for all raw plastic parts.

- Compliant for National Rule & Canadian markets
- Not compliant for use in California

Features Advantages Benefits Ready-to-use Fast drying No mixing Reduce cycle time Process Improvement



Ready To Spray

Wanda Plastic Primer - Part# 484195









Apply 1-2 Medium Coats




Flash Time 5 -10 Min @70°F/21°C



1.3-1.5 mm Max 10 psi (cap)



Recoat without sanding up to 16 hours with all Wanda primers.





7000 Epoxy Primer

Wanda 7000 Epoxy Primer is a gray two-component, high-solid epoxy primer. It is easy to apply; providing excellent holdout and a smooth final appearance all-in-one versatile, user-friendly product that is good over multiple substrates making it ideal for a wide range of vehicle repairs.

- North American compliant
- Consistent performance

Features

Advantages

Benefits

- Excellent adhesion
- Easy-to-apply
- Easily adaptable
- Corrosion protection
- Flows and levels
- Fits wide range of repairs
- Use on multiple substrates
- Smooth final appearance
- Air dry or bake



3:1

- 3 Parts Wanda 7000 Epoxy Primer Part# 551751
- 1 Part Wanda 7000 Epoxy Hardener Part# 551716







Apply 1-2 Single Coats



Flash Time 5 -10 Min @70°F/21°C



1.7-1.9 mm Max 10 psi (cap)




Dry Times Air Dry 24 Hours @ 70°F/21°C Force Dry 1-1.5 Hours @ 140°F/60°C



Final Sand P400-500 Dry









Wanda Low VOC Primer is gray in color offering good filling and sanding properties, excellent holdout, fast dry, and good adhesion on properly prepared substrates. Wanda Low VOC Primer can be used as a high build primer / primer surfacer or non-sanding / wet on wet sealer.

Alternative mix ratio for use as a sealer.

Features

Advantages

Benefits

- High film build
- · Optional mix ratio
- Fast dry time
- Fills quickly
- Use as a sealer
- Sand quicker

- Cycle time reduction
- Cost savings
- · Improved throughput



4:1 Low VOC Primer

- 4 Parts Wanda Low VOC Primer Part#481324
- 1 Part Low VOC Hardener Part#481326





Aķ Si

Apply 3-4
Single Coats



Flash Time 5 -10 Min @70°F/21°C



1.7-2.2 mm 29 PSI




Dry Times Air Dry 3 Hours @ 77°F/25°C Force Dry 30 min. @ 140°F/60°C



Final Sand P500-P600 Dry P400-P500 Wet







Low VOC Primer Surfacer as a Sealer

Wanda Low VOC Primer is gray in color offering good filling and sanding properties, excellent holdout, fast dry, and good adhesion on properly prepared substrates. Wanda Low VOC Primer can be used as a high build primer / primer surfacer or non-sanding / wet on wet sealer.

Features

Advantages

Benefits

- Color uniformity
- Superior levelinga
- Applies wet-on-wet
- · Better hiding
- · Surface uniformity
- Faster to topcoat
- Use less topcoat
- · Better final appearance
- Improved throughput



4:1:1 Low VOC Sealer

- 4 Parts Wanda Low VOC Primer Part#481324
- 1 Part Low VOC Hardener Part#481326
- 1 Part Low VOC Reducer Part#481330







Apply 1 Wet Coat



Flash Time 5 -10 Min @70°F/21°C



1.3-1.5 mm 29 PSI



Recoat time Wet-on-wet 15-30 min. @ 70°F/21°C









Wanda Waterbase

Wandabase HS polyester basecoat provides quick drying, strong hiding power as well as a smooth, uniform finish. With an impressive, accurate color match, it can be used for small repairs or total re-sprays and delivers a great result every time.

- 64 Intermix Toners
- · Compliant for regulated markets

Features

Advantages

Benefits

- Strong hiding power
- Uniform finish
- Covers quicklyLess nib sanding
- Accurate color match Less tinting
- Cycle time reduction
- Labor savings
- Quicker to topcoat



100:10%

100 Parts Wandabase HS Intermix Color 10 Parts Waterbase Reducer - Part#481232.





85+




Apply 2-3 Coats Or Until Opacity Is Achieved



1.2-1.4 mm 30-40 PSI



Flash Time 5 -15* Min @70°F/21°C





Recoat time Minimum 15 Minutes Maximum 24 Hours



Nib Sand 800-1000 Grit





Low VOC Clearcoat Standard & Slow



The Wanda Low VOC Clear is an acrylic urethane clearcoat for use over Wanda Waterbase. Intended for ambient cure or low bake conditions, this clear offers excellent resistance to surface contamination with excellent gloss, making it an ideal choice for air dry environments. It also meets the regulatory requirements for clearcoats at 250 g/liter VOC.

- Available in two speeds
- Adjust as needed based on temperature

Features	Advantages	>	Benefits
High glossEasy-to-sprayEconomical	Good DOIUser-friendlyRefinish more	•	Good appearance Easily adaptable Cost savings



2:1:10%

- 2 Parts Wanda Low VOC Clearcoat Part#481327 or 481329
- 1 Part Hardener Part#481326
- 1 Part Reducer Part#481330



Apply 2 Full Wet Coats



Flash Time 5-10 Min @70°F/21°C



1.3-1.5 mm Max 10 psi (cap)



Dry Times Air Dry 2-3* Hours @ 70°F/21°C Force Dry 30 min. @ 120°F/48°C







Wet Sand 1500-2000





ColorPro sets the standard for reliable color matching in body shops with the addition of the Automatchic Vision Camera. Increase your business' profitability through process optimization designed for accuracy and speed. Use less paint, reduce waste and save valuable time.





ColorPro is an advanced color retrieval system specifically developed for jobber stores and body shops. With it, you not only have the right color, but also have a number of tools that make your daily routine much more practical. With ColorPro, get the accurate formulas and information every time. New colors are developed as they come out from the car makers and are updated monthly by internet.

- Inventory & VOC tracking
- Mix management at the scale
- AMV Camera interfaces with Color Universe

Features

Thousands of formulas

Advantages

Benefits

- VOC tracking by mix
- AMV camera functionality

- Wide color range
- Error free reporting
- Right color, first time
- Better color availability
- Reduced complexity
- Process Improvement

Online & Mobile



Solutions

12:45_{PM} Wed.











MIXIT

Car color retrieval has gone mobile with the newest addition to AkzoNobel's popular car color retrieval systems.

MIXIT brings the convenience of the car color search and paint mixing to your iPhone or Android. The service is web based and available free of charge to AkzoNobel Car Refinishes customers 24 hours a day, seven days a week.





Color Universe™



We proudly present Color Universe, the smart swatch system that will increase your success rate faster and easier than ever. When you enter our Color Universe, you open the door to up to 11,000 chips. With so many colors and formulas stored in our database, we are able to link newly released OEM colors and releases in new markets to colors and formulas that already exist in our database. Which means body shops can access formulas for more colors sooner.

Features

Advantages

Benefits

- Thousands of colors
- Chromatic color system
- AMV Camera interface
- Wide color range
- Best representation
- Right color, first time
- Better color availability
- Fewer spray outs
- Process Improvement

Combining ColorPro and Color Universe with the power of the AMV camera provides you with the right color, the first time.

Open the doors to endless possibilities











One color per chip

- Large chip size facilitates color check
- · Assembled with a handy ring
- · Simple coding, easy to use
- Cuts the time it takes to find the right color



Assurance Of Quality.

As an AkzoNobel brand, Wanda is engineered & manufactured to perform with the same uncompromising quality that makes AkzoNobel brands the international standard for vehicle refinish.

AkzoNobel assures the quality of every Wanda product. If any Wanda product fails to meet product specifications, upon the opening of its container and prior to its use, AkzoNobel Coatings Inc. will replace it, or refund its value

AkzoNobel

WANDA

LOW VOC PRIMER

WANDA





